



Spring 2010 Edition

P.O. Box 827 Wimberley, Texas 78676
Phone (512) 847-0443 Fax (512) 847-0021
Toll Free 1-800-693-3844
www.safelanetraffic.com

TABLE OF CONTENTS

SIGN STANDS AND ROLL-UP SIGNS	PAGE 1
CHANNELIZERS	PAGE 2
BARRICADES	PAGE 3
BARRIER REFLECTORS	PAGE 4
WORK ZONE SIGNS	PAGE 5
ARROW BOARDS AND MESSAGE BOARDS	PAGE 6
TEMPORARY PAVEMENT MARKINGS	PAGE 7
SAFETY PRODUCTS	PAGE 8
FLEXIBLE DELINEATOR POSTS	PAGE 9
PAVEMENT MARKERS	PAGE 10
AIRLESS PAINT STRIPERS	PAGE 11
TRAFFIC PAINT	PAGE 12
WARNING SIGNS	PAGE 13
REGULATORY SIGNS	PAGE 14
SIGN POSTS	PAGE 15
SIGN HARDWARE	PAGE 16
LINE REMOVERS	PAGE 17



P.O. Box 827 Wimberley, Texas 78676
 Toll Free 1-800-693-3844 Fax (512) 847-0021
www.safelanetraffic.com

SIGN STANDS AND ROLL-UP SIGNS



Zephyr Rubber Base Stand

- 38 Lb. Recycled Rubber
- Will Hold 36" and 48" Roll-Up Signs
- NCHRP-350 Compliant
- Stackable



Spring Loaded Stand

- Double Spring Base for Added stability
- Built-In Flag Holder
- Telescoping Foldable Legs
- Roll-Up and Rigid Sign Brackets Available



Single Spring Stand

- Holds 36" and 48" Roll-Up Signs
- Telescoping Foldable Legs
- 3 height Adjustment Levels
- Compact Design



Spring Loaded Stand HD

- Heavy Duty Spring Loaded Stand
- Telescoping Foldable Legs
- Roll-Up and Rigid Sign Brackets Available
- Will Hold Roll-Up Sign 7 Ft. Off the Ground


Roll-up construction signs are available in a variety of different sign legends and materials. These signs utilize a fiberglass crossbracing or ribs along with plastic corner pockets to maximize performance. Along with a large selection of standard legends and overlays, customize legends are also available.

Standard Sign Legends

Choose From 36" x 36" and 48" x 48"
 Fluorescent Reflective and Non-Reflective Available

- ROAD WORK AHEAD
- BE PREPARED TO STOP
- ONE LANE ROAD AHEAD
- FLAGGER AHEAD
- FLAGGER SYMBOL
- RIGHT LANE CLOSED AHEAD
- RIGHT LANE CLOSED
- TRUCK CROSSING
- UTILITY WORK AHEAD
- MOWERS AHEAD
- SHOULDER WORK AHEAD
- DETOUR AHEAD
- ROAD CLOSED AHEAD

CUSTOM LEGENDS AVAILABLE



Standard Overlays

- LEFT
- CENTER
- BLANK
- 500 FT
- 1000 FT
- 1500 FT
- 1/2 MILE
- 1 MILE

Flag Assembly

- Connects To Sign Ribs
- Two 18" x 18" Flags
- Folds for Storage



P.O. Box 827 Wimberley, Texas 78676
Toll Free 1-800-693-3844 Fax (512) 847-0021

www.safelanetraffic.com

CHANNELIZERS



Traffic Cones

- Fluorescent Orange PVC for High Visibility
- Choose from 18" or 28" Wide Body or Slim Design
- Optional Reflective Collars for Greater Visibility
- Also Available in Lime Green



Portable Vertical Panel

- NCHRP-350 Compliant
- Reflective Sheeting Area 8" x 34"
- Available with 20 Lb. and 30 Lb. Rubber Base
- Stackable
- Engineer Grade or Hi Intensity Reflective



Edgeline Channelizer

- 42" Tall Channelizer
- High Impact Polyethylene with Reinforced Loop Handle
- 4 - 4" Hi Intensity Reflective Bands
- 30 Lb. Recycled Rubber Base
- Stackable



Safety Drum

- NCHRP-350 Compliant
- Molded Handle Accommodates Barricade Light
- 4 - 4" Hi Intensity Reflective Bands
- Recycled Truck Tire Ring Base or 40 Lb. Recycled Rubber Base
- Stackable



Drum Reflector

- Approved Substitute for Type C Light
- Durable Plastic Substrate
- 30 Square Inches Yellow Diamond Grade Sheeting



P.O. Box 827 Wimberley, Texas 78676
 Toll Free 1-800-693-3844 Fax (512) 847-0021
www.safelanetraffic.com

BARRICADES



Folding Barricades

- Folding 24" Barricade Type I or Type II
- Available in All Plastic or Plywood Panels with Steel Angle Iron Legs
- Built in Barricade Light Holder
- Engineer Grade or Hi Intensity Reflective



Plastic A-Frame Barricade

- NCHRP-350 Approved
- High Impact Resistant Plastic
- Available in Type I or Type II
- Built in Barricade Light Holder
- Engineer Grade or Hi Intensity Reflective



Type III Barricade

- NCHRP-350 Approved
- 8 Ft. Lightweight Plastic Panels
- Engineer Grade or Hi Intensity Reflective
- 5 Ft. Galvanized Square Steel Feet
- 3-Year Panel Warranty



Barricade Light

- 6 Volt with Photoelectric Switch
- Yellow Hi-Impact Case
- Moisture Proof Circuitry
- 7" Polycarbonate Lens
- Flash or Steady Burn Available
- Packaged 10/Case



Barricade Sheeting

- 7" x 50 Yards
- 4" or 6" Right or Left Stripes
- Engineer Grade or Hi Intensity Reflective
- Specify Orange /White or Red/White Stripes



6 Volt Lantern Battery

- Heavy Duty Battery
- Long Lasting
- Packaged 12/Case



Sandbags


- 14" x 26" Polypropylene
- 1200 Hours UV Rating
- Holds up to 50 Lbs. of Sand



P.O. Box 827 Wimberley, Texas 78676
Toll Free 1-800-693-3844 Fax (512) 847-0021


www.safelanetraffic.com

BARRIER REFLECTORS




Concrete Traffic Barrier Marker PCBM-9CM

- 3" Round Plastic Reflector Unit on "L" Bracket
- Prismatic Reflective
- Specify One Way Yellow, One Way White, or Two Way Yellow Reflective
- Packaged 100/Box



Concrete Traffic Barrier Marker PCBM-9

- Plastic "L" Bracket with Reflective Sheeting
- High-Impact Engineered Thermoplastic
- Specify One Way Yellow, One Way White, or Two Way Yellow Reflective
- Packaged 300/Box



Butterfly Guardrail Reflectors

- High-Impact Engineered Thermoplastic
- Ideal for Use on "W-Beam" Steel Guardrail
- Specify One Way Yellow, One Way White, or Two Way Yellow Reflective
- Bolt-On and Glue-On Available
- Packaged 200/Box



Low Profile Concrete Traffic Barrier Marker

- 16" High-Impact "L" Bracket Design
- Quick and Easy Adhesive Mounting
- Specify One Way Yellow, One Way White, or Two Way Yellow Reflective



Marker Installation Adhesive



- 11 Oz. Caulk Tube
- Fast and Efficient Installation with Standard Caulk Gun
- Will Install Approximately 35 Markers per Tube



P.O. Box 827 Wimberley, Texas 78676
Toll Free 1-800-693-3844 Fax (512) 847-0021


www.safelanetraffic.com

WORK ZONE SIGNS



Steel T-Leg Assembly Single Post

- For Coroplast Signs
- Supports Signs up to 12 Square Feet
- Includes T-Leg, Feet, Post, and Hardware
- TX DOT Compliant



Steel T-Leg Assembly Double Post

- For Coroplast Signs
- Supports Signs over 12 Square Feet
- Includes T-Legs, Cross Bar, Posts, and Hardware
- TX DOT Compliant

TOLL FREE 1-800-693-3844



P.O. Box 827 Wimberley, Texas 78676
Toll Free 1-800-693-3844 Fax (512) 847-0021


www.safelanetraffic.com

ARROW BOARDS AND MESSAGE CENTERS



Trailer Mounted Arrow Board

- Solar Powered
- 15-Light and 25-Light Models Available
- Meets MUTCD Specifications
- Easy to Operate and Maintain
- New Technology Lowers Maintenance Costs and Increases Energy Efficiency
- Environmentally Safe Operation
- Powder Coated Paint



Truck Mounted Arrow Board

- 30" x 60" and 48" x 96" Boards Available
- Choose 15-Light or 25-Light
- Includes Controller and Cable
- Power Lift Optional
- Also Available in Skid Mounted Version



Portable Changeable Message Center

- Solar Powered
- User Friendly Program
- Trailer Mounted
- Telescoping/Rotating Hydraulic Winch
- Optical Lenses and Sunshades for Increased Visibility
- Cellular Modem Optional
- Also Available in Full Matrix with Graphics Capability
- Powder Coated Paint



Portable Radar Trailer

- Solar Powered
- Compact Size for Deployment Anywhere
- One Person Able to Easily Set Up and Operate
- Customize Your Own Activation, Violation, and Extreme Speed Settings
- Interchangeable Speed Limit Numbers on Trailer



P.O. Box 827 Wimberley, Texas 78676
Toll Free 1-800-693-3844 Fax (512) 847-0021

www.safelanetraffic.com

TEMPORARY PAVEMENT MARKINGS




Temporary Tabs TOM

- Short-Term Temporary Overlay Marker
- Factory Applied High Tack Butyl Pad
- "Peel-And-Stick" for Quick Installation
- Specify One Way White, One Way Yellow or Two Way Yellow Reflective
- Packaged 500/Box



Temporary Tabs TRPM

- Short-Term Temporary Raised Pavement Marker
- "Peel-And-Stick" for Quick Installation
- Clear Protective Cover for Seal Coat Applications
- Specify One Way White, One Way Yellow or Two Way Yellow Reflective
- Packaged 500/Box



Removable Pavement Marking Tape

- Provides Bright, Well Delineated Channel to Guide Motorists through Construction Zones
- Highly durable and Removes Cleanly
- Available in White and Yellow
- Choose From 4", 6", 8", 12" and 24" Widths

Also Available in Precut Symbols and Legends



Removable Blackout Masking Tape

- Applies Easily Over Existing Road Markings
- Eliminates Time-Consuming Removal of Lane Markings
- Tape Lifts Off Easily and Quickly When No Longer Needed
- Available in 6" Width



Temporary Foil-Back Marking Tape

- Highly Reflective
- Quick and Easy to Install
- Available in White and Yellow
- 4" x 150 Ft. Rolls

Primer

- Use With Removable Tape for Longer Adhesion
- 5 Gallon Container



P.O. Box 827 Wimberley, Texas 78676
 Toll Free 1-800-693-3844 Fax (512) 847-0021
www.safelanetraffic.com

SAFETY PRODUCTS



- Stop/Slow Paddle with 5 Ft. Staff**
- 24" Octagon Paddle
 - Engineer Grade and Hi Intensity Reflective Available



- Stop/Slow Paddle Hand-Held**
- 18" Octagon Paddle
 - Non-Reflective and Engineer Grade Reflective
 - Lightweight and Economical



- Stop/Slow Paddle Roll-Up Kit**
- 24" Prismatic Reflective Roll-Up Paddle
 - 5 Ft. 3-Piece PVC Handle
 - Meets Federal Specifications
 - Carry Bag Included



- Flags**
- Fluorescent Orange
 - Polyester Construction
 - 18" and 24" Available
 - Sewn Pocket Stapled to 3/4" Dowel



- Airport Flag**
- 36" x 36" Orange and White Nylon
 - Meets FAA Specifications
 - Dowel Sold Separately



- Flag Holder**
- Holds 3 Flags
 - Bolts to Rigid Sign or Can Be Attached to Sign Support




- Caution Tape**
- 3" x 1000 Ft. Roll
 - Non-Reflective



- Hard Hat**
- Standard Brim
 - 6-Point Suspension
 - White, Yellow, or Blue



- Safety Vests**
- Choose From Orange or Fluorescent Lime Green
 - Meets ANSI Class 2
 - Other Styles Available



- Safety Fence**
- Orange Diamond Mesh
 - High Density Polyethylene Plastic (HDPE)
 - 48" x 100 Ft. Rolls



- Vehicle Strobe Light**
- Amber Strobe
 - Permanent or Magnet Mount
 - Choose From High or Low Profile Designs




- Vehicle Mini-Bar Light**
- Amber Strobe
 - Permanent or Magnet Mount
 - Available in Various Sizes and Light Configurations




P.O. Box 827 Wimberley, Texas 78676
Toll Free 1-800-693-3844 Fax (512) 847-0021
www.safelanetraffic.com

FLEXIBLE DELINEATOR POSTS



Surface Mount Flexible Delineator Post


- Two Part System with Post and Pin Lock Base
- Quick Installation – Secures to Concrete or Asphalt with Adhesives
- Many Applications Including Work Zones, Traffic Islands, and Parking Lots
- Sizes Available Include 36", 42", and 48"
- White, Yellow, and Orange Posts Available
- Specify Reflective Sheeting



Soil Mount Flexible Delineator Post

- Made From Recycled Polymers and Engineered for High Performance
- Designed to Withstand Multiple Impacts
- Simple Driveable Installation
- Sizes Available Include 62", 72", and 78"
- White and Yellow Posts Available
- Specify Reflective Sheeting

Pilot Driver and Post Driver Kit Available for Easy Installation



Modular Lane Separation System

- Efficient Channelization of Traffic on Freeways, Toll Ways, City Streets, and Rail Crossings
- Low Maintenance System
- Impact Tested at 60 MPH
- Curb Sections Install in Just Minutes with One Person
- Design Allows for Circular or Curved Installations
- NCHRP-350 Approved
- Available in White, Yellow, and Orange
- Specify Reflective Sheeting






P.O. Box 827 Wimberley, Texas 78676
 Toll Free 1-800-693-3844 Fax (512) 847-0021
www.safelanetraffic.com

PAVEMENT MARKERS

We offer a full line of pavement markers and adhesives available in Reflective, Non-Reflective, and NEW Solar Powered options. Pavement markers easily define traffic lanes and parking areas and are ideal for use with traffic paint to enhance its visibility or without as an effective cost-saving alternative.



Raised Pavement Marker

- One-Way Yellow Reflective
- One-Way White Reflective
- Two-Way Yellow Reflective
- Two-Way Clear/Red Reflective
- Two-Way Blue Reflective
- Two-Way Green Reflective



Non-Reflective Ceramic Marker

- 4" White Non-Reflective Button
- 4" Yellow Non-Reflective Button
- 6" White Non-Reflective Channel Marker
- 6" Yellow Non-Reflective Channel Marker
- 8" White Non-Reflective Channel Marker
- 8" Yellow Non-Reflective Channel Marker




Ceramic Jiggle Bar

- 6" White Non-Reflective
- 6" Yellow Non-Reflective
- 6" One-Way White Reflective
- 6" One-Way Yellow Reflective
- 6" Two-Way White Reflective
- 6" Two-Way Yellow Reflective



Reflective Ceramic Marker

- 4" One-Way White Reflective Button
- 4" One-Way Yellow Reflective Button
- 4" Two-Way White Reflective Button
- 4" Two-Way Yellow Reflective Button
- 4" Two-Way Clear/Red Reflective Button
- 6" One-Way White Reflective Channel Marker
- 6" One-Way Yellow Reflective Channel Marker
- 6" Two-Way White Reflective Channel Marker
- 6" Two-Way Yellow Reflective Channel Marker
- 8" One-Way White Reflective Channel Marker
- 8" One-Way Yellow Reflective Channel Marker
- 8" Two-Way White Reflective Channel Marker
- 8" Two-Way Yellow Reflective Channel Marker



Solar Pavement Marker

- Available in One Way or Two Way Reflective
- Specify Flash or Steady Burn



600 CC Epoxy Cartridge

- Equal Parts A & B
 - Asphalt or Concrete
- Manual Dispensing Gun**
- Disposable Static Mixers
 - Retainer Nuts



Epoxy Adhesive

- Equal Parts A & B
- Asphalt or Concrete
- Simple 1:1 Ratio Mix
- Choose 9 oz. Kit, Two Gallon Kit, or Ten Gallon Kit



Bitumen Adhesive

- Asphalt Installation
- Hot Melt Applicator Required
- 390 to 410 Degree Temps Required
- 55 Lbs. Per Box



Butyl Pads

- Peel and Stick
- 4" x 4" or 8" x 8"

Hot Melt Pads

- Easy to Install with Propane Torch
- 5" x 5"

Adhesive Application Rates (Approximate)

Type	600 CC Epoxy Cartridge	9 oz. Epoxy	1 Gallon Epoxy	1 Lb. Bitumen
4" Marker	15 per Cartridge	7 per 9 Oz.	50 per Gallon	3 per Lb.
6" Marker	7 per Cartridge	3 per 9 oz.	25 per Gallon	1 per Lb.
8" Marker	3 per Cartridge	1 per 9 oz.	15 per Gallon	1 per 1.5 Lbs.



P.O. Box 827 Wimberley, Texas 78676
Toll Free 1-800-693-3844 Fax (512) 847-0021

www.safelanetraffic.com

AIRLESS PAINT STRIPERS



Graco Line Lazer 3400

- Single Gun Striper
- Swivel Front Wheel and Lightweight Design
- Operator Controls located on the Handlebars
- Long Life Chromex Pump Rod
- Electronic Pressure Control for Improved Line Quality
- Perfect for Seal Coating and Parking Lot Contractors Looking for Professional Performance With an Economical Price
- 4 HP Honda Engine
- .75 GPM Direct Drive Piston Pump



Graco Line Lazer IV 3900 & 5900

- Two Gun Striping Capabilities
- Swivel Front Wheel
- SmartControl Digital Tracking System for Measuring and Controlling Every Aspect of the Job
- Auto Layout Feature Available
- Glass Bead Applicator System Available
- 4 HP Honda Engine on 3900
- 1.25 GPM Direct Drive Piston Pump on 3900
- 5.5 HP Honda Engine on 5900
- 1.6 GPM Direct Drive Piston Pump on 5900



Graco Line Lazer IV 200 HS

- Two Gun Striping Capabilities
- Swivel Front Wheel
- SmartControl Digital Tracking System
- High Capacity Cooling System Features Larger Hydraulic Fluid reservoir to Keep System Running Cool
- Auto Layout Feature Available
- Glass Bead Applicator System Available
- 5.5 HP Honda Engine
- 2.0 GPM Hydraulic Pump



Graco LineDriver Ride-On System

- Attaches to Line Lazer 3900, 5900, or 200HS for Ride-On Striping
- 10 MPH in Forward and 6 MPH in Reverse
- Reduces Operator Fatigue and Improves Line Quality
- 5.5 HP Honda Engine
- 6.5 HP Honda Engine on HD Model





P.O. Box 827 Wimberley, Texas 78676
Toll Free 1-800-693-3844 Fax (512) 847-0021

www.safelanetraffic.com

TRAFFIC PAINT



Fast Dry Water Based Traffic Paint

- Meets or Exceeds Federal Specification TT-P-1952D, Type II
- Lead Free Formulations
- Dries to No Track in 10 Minutes or Less
- Reduces and Cleans Up with Water
- Colors Include White, Yellow, Red, Blue, and Black
- Available in 5-Gallon Buckets or 55-Gallon Drums
- Texas DOT Specification Also Available
- 300 Linear Feet of 4" Stripe per Gallon at 15 Mils



Chlorinated Rubber Zone Marking Paint

- Meets or Exceeds Federal Specification TT-P-115E, Type III
- Dries to No Track in 10 to 15 Minutes
- Reduces and Cleans Up with Toluene or MEK
- Colors Include White, Yellow, Red, Blue, and Black
- Available in 5-Gallon Buckets
- 300 Linear Feet of 4" Stripe per Gallon at 15 Mils



High Performance Zone Marking Paint

- Quick Drying Solvent Based Acrylic Paint
- Excellent Durability and Minimal Dirt Retention
- Dries to No Track in 20 Minutes or Less
- Reduces and Cleans Up with Toluene
- Colors Include White, Yellow, Red, and Blue
- Available in 5-Gallon Buckets
- 300 Linear Feet of 4" Stripe per Gallon at 15 Mils



Thermoplastic Road Marking Compound

- Hot Applied Pavement Marking Product
- High Quality Alkyd Pigments with Glass Beads
- Available in White and Yellow
- Available in 50-Lb. Bags or Blocks
- Available in Different Specifications



Highway Glass Beads

- Type I for Roadway Use
- 50-Lb. Bags
- Meets or Exceeds AASHTO Specifications

Aviation Glass Beads

- Type III High Index
- FAA Approved
- 50-Lb. Bags






P.O. Box 827 Wimberley, Texas 78676
Toll Free 1-800-693-3844 Fax (512) 847-0021

www.safelanetraffic.com

WARNING SIGNS




TOLL FREE 1-800-693-3844



P.O. Box 827 Wimberley, Texas 78676
 Toll Free 1-800-693-3844 Fax (512) 847-0021
www.safelanetraffic.com

REGULATORY SIGNS



TOLL FREE 1-800-693-3844




P.O. Box 827 Wimberley, Texas 78676
Toll Free 1-800-693-3844 Fax (512) 847-0021
www.safelanetraffic.com

SIGN POSTS




Galvanized Tubular Steel Sign Post 2 3/8" OD

- 2 3/8" Outside Diameter
- Available in 8 Ft., 10 Ft., and 12 Ft. Lengths
- Galvanized Finish
- Powder Coated Colors Available by Special Order
- Socket and Wedge Breakaway System Available



Galvanized Square Steel Sign Post

- 1 1/2", 1 3/4", 2", and 2 1/4" Square
- 10 Ft., 12 Ft., 14 Ft. and 24 Ft. Lengths Available
- Choose from 12 gauge or 14 gauge Wall Thickness
- Galvanized Finish
- Perforated on All 4 Sides
- Anchor Breakaway System Available



U-Channel Sign Post

- Choose from 2 Lbs. per Foot or 1.12 Lbs. per Foot
- Available in Various Lengths
- Galvanized or Green Finish
- Holes Standard 1" on Center



Galvanized Triangular Slipbase Sign Post Assembly

- Multi-Directional Breakaway System
- Meets or Exceeds the Requirements of NCHRP 350
- FHWA Approved
- System Consists of Stub, Collar, and Post
- Use Schedule 10 or Schedule 80 Posts as Required
- U-Bracket and T-Bracket Available

TOLL FREE 1-800-693-3844




P.O. Box 827 Wimberley, Texas 78676
 Toll Free 1-800-693-3844 Fax (512) 847-0021
www.safelanetraffic.com

SIGN HARDWARE




Round Post Cap

- Fits 2 3/8" OD Post
- Flat or Extruded
- 5 1/2" Blade Holder



Cross Bracket

- Flat or Extruded
- 5 1/2" Blade Holder



Square Post Cap

- Flat or Extruded
- 5 1/2" Blade Holder
- Specify 1 3/4" or 2"




12" Round Post Cap

- Fits 2 3/8" OD Post
- Flat or Extruded
- 12" Blade Holder



12" Cross Bracket

- Flat or Extruded
- 12" Blade Holder



Aluminum Sign Clamp

- Fits 2 3/8" OD
- Back to Back Mount Available



U-Bolt Sign Clamp

- Specify 2 3/8" OD or 2 7/8" OD
- Back to Back Mount Available



Large Adjustable Clamp

- Adjusts for 4" to 12" OD
- Includes Flare Bracket and Bolt



Steel Drive Rivet

- 3/8" Head Rivet
- Install with Hammer
- Includes Nylon Washer

TOLL FREE 1-800-693-3844



P.O. Box 827 Wimberley, Texas 78676
 Toll Free 1-800-693-3844 Fax (512) 847-0021

www.safelanetraffic.com

LINE REMOVERS



CPM-8 Line Remover/Scarifier

- Up to 8" Working Width
- 9 HP Honda Engine
- Compact Design
- Front-Mounted Lifting Handle for Easy Loading and Unloading
- Ideal For Traffic Line Removal, Sidewalk Repair, and Creating Non-slip Surfaces
- Also Can Be Used for Asphalt Milling
- 350-500 Square Feet per Hour at 1/8" Depth
- Weighs 202 Lbs.




Tungsten Carbide Cutters

- Lasts Longer Than Steel
- Cut Down on Changeover Time




Hardened Steel Cutters

- Inexpensive
- Versatile For Most Jobs



Milling Cutters

- Removes All Types of Materials
- Long Lasting



Extra Drum

- Spare Drum Saves Time
- Optional



TLR-7 Traffic Line Remover

- Up to 24" Working Width
- 11 HP Honda Engine
- Easy to Use – Can Be Pushed or Pulled By One Person
- Offers 7" Grinding Width and Can Be Moved Side-to-Side For Up to 24" Working Width
- Great for Removal of Traffic Paint, Thermoplastic, and Epoxy
- Fastest Way to Erase Markings Without Excessive Damage
- Weight 440 Lbs.